

Unified Communications Solutions

For Small, Medium and Large Businesses

IP Video Phones for Android

GXV3275

IP Video Phone for Android™



6 lines, 6 SIP accounts, dual Gigabit ports, PoE, 7" touch screen, integrated WiFi and Bluetooth

GXV3240

IP Video Phone for Android™



6 lines, 6 SIP accounts, dual Gigabit ports, PoE, 4.3" touch screen, integrated WiFi and Bluetooth

Enterprise IP Phones

GXP2170

Enterprise HD IP Phone



12 lines, 6 SIP accounts, dual Gigabit ports, PoE, 48 digital BLF/speed dial keys, Bluetooth

GXP2160

Enterprise HD IP Phone



6 lines, 6 SIP accounts, dual Gigabit ports, PoE, 24 BLF/speed dial keys, Bluetooth

GXP2140

Enterprise HD IP Phone



4 lines, 4 SIP accounts, dual Gigabit ports, PoE, Bluetooth

GXP2135

Enterprise HD IP Phone



8 lines, 4 SIP accounts, dual Gigabit ports, PoE, 32 digital BLF/speed dial keys, Bluetooth

GXP2130

Enterprise HD IP Phone



3 lines, 3 SIP accounts, dual Gigabit ports PoE, 8 BLF/speed dial keys, Bluetooth









Mid-Range IP Phones

GXP1760

Mid-Range IP Phone



6 lines, 3 SIP accounts, PoE, 24 digital BLF/ speed dial keys

GXP1780/1782

Mid-Range IP Phone



8 lines, 4 SIP accounts, dual Gigabit ports (1782 only), PoE, 32 digital BLF/speed dial keys

Small Business IP Phones

GXP1630

Small Business HD IP Phone



3 lines, 3 SIP accounts, dual Gigabit ports, PoE, 8 BLF/speed dial keys

GXP1628

Small Business HD IP Phone



2 lines, 2 SIP accounts, dual Gigabit ports, PoE, 8 BLF/speed dial keys

GXP1620/1625

Small Business HD IP Phone



2 lines, 2 SIP accounts, dual 10/100Mbps ports, PoE (GXP1625 only)

GXP1610/1615

Small Business IP Phone



2 line keys, 1 SIP account, dual 10/100MBps ports, PoE (GXP1615 only)

DECT Cordless

Extension Module

DP750/DP720

DECT Cordless HD IP Phones



Base station (DP750) supports 5 DP720 handsets; HD voice, Color LCD $\,$

GXP2200 EXT

Extension Module for IP Phones



Backlit LCD, 40 BLF/speed dial keys per module, supported by GXP2170, GXP2140 and GXV3240

Gateways and ATAs

GXW4200 series

High Density FXS Gateways



16/24/32/48 FXS ports, multiple SIP profiles

GXW410x and GXW4008

Mid-Density FXO/FXS Gateways



4/8 FXO ports (GXW410x), 8 FXS ports (GXW4008), multiple SIP profiles, integrated NAT router

HT812/814

Analog Telephone Adapters



2/4 FXS ports, 2/4 SIP profiles, 2 Gigabit network ports with NAT router, auto-provisioning

HT802

Analog Telephone Adapters



2 FXS ports, 1 10/100Mbps port, 2 SIP profiles, auto provisioning

HT701

Analog Telephone Adapters



1 FXS port, 1 SIP profile, auto-provisioning

HT503

Analog Telephone Adapters



1 FXS and 1 FXO, integrated router, autoprovisioning

IP PBXs

UCM6200 series

IP PBX

UCM6510

IP PBX





UCM6202/6204: Up to 500 users, 35/45 concurrent calls, 2/4 FXO ports, 2 FXS ports, auto-provisioning, CDR

UCM6208: Up to 800 users, 100 concurrent calls, 8 FXO ports, 2 FXS ports, auto provisioning, CDR

Up to 2000 users, 200 concurrent calls, E1/T1/J1, 2 FXS ports, auto provisioning, CDR

Video and Voice Conferencing

























GAC2500 HD IP Conference Phone

Android based, 6 lines, 4.3" color screen, 7-way conference bridge, Gigabit LAN port, PoE, integrated WiFi & Bluetooth

HD IP Cameras

GXV3610 HD/Full HD series
Outdoor/Indoor IP Camera



3.6mm lens ideal for wide angle monitoring, light sensors, IP66-certified weatherproof, PoE

GXV3611_IR_HD Indoor IP Camera



2.8mm lens for wide-angle/close-proximity monitoring, Infrared, PoE, SD card, built-in speaker/mic

*GXV3662_FHD*Outdoor/Indoor IP Camera



Variable-focal lens (3.3-12mm), PoE, SD Card, weatherproof, vandal-proof, tamper-proof

GXV3672 HD/Full HD series **Outdoor/Indoor IP Camera**



8mm or 3.6mm lens, weatherproof, Infrared, PoE



*GXV3674 HD/Full HD series*Outdoor/Indoor IP Camera

Variable-focal lens (2.8mm-12mm), weather-proof, Infrared, PoE

Network Video Recorders



GVR355X series

Network Video Recorder

Supports 24 or 16 cameras, up to 16TB or 4TB of storage from 4 or 2 HDDs, HDMI/VGA output



Video Encoder/Decoder



GXV3500

Video Encoder/Decoder/PAS

1-channel IP video encoder/decoder/public address system device, H.264, PoE

Video Management Software



GSurf Pro

Video Management Software

Free video management software for up to 72 Grandstream IP cameras, client/server architecture

